



WESTMEATH COUNTY COUNCIL.

Local Government (Water Pollution) Acts 1977 and 1990
Local Government (Water Pollution) Regulations 1978 and 1992

APPLICATION FOR LICENCE
to discharge trade effluent or other matter
(other than domestic sewage or storm water) to a sewer.

**To: The Director of Services,
Environment and Planning,
Westmeath County Council,
County Buildings,
Mullingar,
Co Westmeath.**

I hereby make application for a licence under Section 16 of the Local Government (Water Pollution) Act, 1977, as amended by Section 12 of the Local Government (Water Pollution)(Amendment) Act, 1990 to discharge trade effluent

1

In accordance with the plans and other particulars attached. The discharge for which a licence is sought IS / IS NOT an existing discharge² as defined in Section 18(4) of the Act

Signed: _____

Date: _____

Important:
Before completing the application form, please read explanatory notes.

¹ See explanatory Notes

if the application relates to matter other than trade effluent , delete and insert description of other matter

² Delete whichever is inapplicable.



The Director of Services,
 Environment and Planning,
 Westmeath County Council,
 County Buildings,
 Mullingar,
 Co Westmeath.
 Tel: (044)-32000

Discharge to Sewer Application Form.

1.	Name and Address of Applicant:	
2.	Telephone Number of Applicant:	
3.	Name and Address of the Premises to which water is to be supplied and from which wastewater is to be discharged.	
4.	Give a general description of process or activities giving rise to the discharge of wastewater.	
5.	<p>a) Location point of discharge to Sewer (to be shown on a 1-2,500 Ordnance Survey map);</p> <p>b) Details of size and type of Discharge pipe;</p> <p>c) Plans indicating the premises, Drainage system and any works, apparatus or plant from which the effluent or other matter is to be discharged must accompany this application.</p> <p>d) Details of provisions made for sampling and measurement of flow.</p> <p>e) Details of any special arrangements to prevent accidental discharges.</p>	



**The Director of Services,
Environment and Planning,
Westmeath County Council,
County Buildings,
Mullingar,
Co Westmeath.
Tel: (044)-32000**

Discharge to Sewer Application Form.

6.	Particulars of any other discharges from the premises in question (e.g. surface water, storm drains, toilet waste,).	
7.	General: a)Date of commencement of discharge; b) (i)Do you hold a Discharge, I.P.C. Licence, Waste Licence or a Waste Permit? (ii) If yes, please attach a copy. (iii) If no, please furnish an inventory of any chemicals or hazardous materialsnormally kept on site. c) Method of effluent conveyance to treatment plant(public/private sewer)?	



The Director of Services,
 Environment and Planning,
 Westmeath County Council,
 County Buildings,
 Mullingar,
 Co Westmeath.
 Tel: (044)-32000

Discharge to Sewer Application Form.

8	Characteristic <small>(See note 1)</small>	As Discharged <small>(See note 2)</small>
8.1	Average Daily Flow (m3/day)	
8.2	Maximum in any one day	
8.3	Maximum rate per hour	
8.2	Temperature (°C)	
8.3	B.O.D.	
8.4	C.O.D.	
8.5	Suspended Solids*	
8.6	Settleable Solids	
8.7	PH (pH Units)**	
8.8	Nitrates (as N)	
8.9	Phosphorus (as P)	
8.10	Detergents (as Lauryl Sulphate)	
8.11	Oils, Grease and Fats.	
8.12	Ammonia (as N)	
8.13	Sulphates (as SO ⁴)	
8.14	Chlorides (as Cl)	
8.15	Phenols (as C ⁶ H ⁵ OH)	
8.16	Dissolved Solids	
8.17	Colour (degrees Hazen)	
8.18	Particulate size	
8.19	Metals – (specify each)	
	(a)	
	(b)	
	(c)	
	(d)	



**The Director of Services,
 Environment and Planning,
 Westmeath County Council,
 County Buildings,
 Mullingar,
 Co Westmeath.
 Tel: (044)-32000**

8.21	Organophosphorus compounds (Specify)	
8.22	Organotin compounds (Specify)	
8.23	Mineral Oils or Hydrocarbons of petroleum origin	
8.24	Other toxic substances (Specify)	
8.25	Other relevant characteristics	
8.26	Biotreatability Test	

Notes to Table:

- 1: **Details for parameters 8.1 - 8.7 must be supplied in all cases.**
 Details regarding other parameters should be supplied if applicable and may be requested at the discretion of the Authority. Analytical results are required in order to determine if pre treatment is required. Samples are to be taken and tested by an approved and recognised analytical laboratory.
- 2: **Values are to be expressed in mg/l unless otherwise specified.**
 The above list is indicative only – such other physical, chemical or other characteristics as are pertinent to the effluent in question should be specified

Explanatory Notes.

(These notes are for guidance only and do not purport to be a legal interpretation of the provision concerned).

1: The application should be addressed to the Director of Services, Environment and Planning, Westmeath County Council, County Buildings, Mullingar, Co Westmeath.

2: The Licence application should be accompanied by the plans, in duplicate referred to in paragraph (5) of the application form

3: Existing discharge means a discharge, which is similar in nature, composition and temperature to, and is of a similar volume and is made at a similar rate to, the corresponding period in the period of twelve months ending on the 1st of January 1979. (See Section 18(4) of the Local Government (Water Pollution) Act 1977

4: A licence is not required for the discharge to a sewer of domestic sewage or storm water.

5: "Trade Effluent" is defined in Section 1 of the Local Government (Water Pollution) Act 1977.

6. The application shall be accompanied by a fee of €380.92.

